

**WHAT IS CLAIMED IS:**

1. A method of generating display names for management definition data elements, said method comprising:  
receiving an element identifier;  
5 retrieving a non-instance name from a management data definition in response to determining that an element corresponding to the element identifier is a non-instance element;  
retrieving an instance name from the management data definition in response to determining that the  
10 element corresponding to the element identifier is an instance element; and  
displaying the retrieved name on a display device.
2. The method as described in claim 1 wherein the management data definition includes a common information model  
15 managed object format file.
3. The method as described in claim 1 further comprising:  
locating a qualifier corresponding to the retrieved name;  
reading a qualifier value corresponding to the qualifier;  
20 and  
replacing the retrieved name with the qualifier value prior to the displaying.
4. The method as described in claim 1 further comprising:  
searching a translation file for a translated string that  
25 corresponds to the retrieved name; and  
replacing the retrieved name with the translated string prior to the displaying.

5. The method as described in claim 1 further comprising:  
receiving an element request from a calling routine, the  
element request including the element identifier;  
and  
5 returning the retrieved name to the calling routine.
6. The method as described in claim 1 wherein retrieving the  
instance name further comprises:  
identifying a plurality of properties corresponding to  
the element identifier;  
10 retrieving a plurality of values, wherein each of the  
values corresponds with one of the properties; and  
writing each of the properties followed by the value  
corresponding to the property to the retrieved name.
7. The method as described in claim 1 wherein retrieving the  
instance name further comprises:  
15 identifying a property corresponding to the element  
identifier;  
retrieving a property name corresponding to the property;  
and  
20 writing the property name to the retrieved name.
8. An information handling system comprising:  
one or more processors;  
a memory accessible by the processors;  
a nonvolatile storage area accessible by the processors;  
25 and

a display name tool for generating display names from a management definition file stored on the nonvolatile storage device, the display name tool including:  
input logic for receiving an element identifier;  
5 retrieval logic for retrieving a non-instance name from a management data definition in response to determining that an element corresponding to the element identifier is a non-instance element;  
10 retrieval logic for retrieving an instance name from the management data definition in response to determining that the element corresponding to the element identifier is an instance element;  
and  
15 display logic for displaying the retrieved name on a display device.

9. The information handling system as described in claim 8 wherein the management data definition includes a common information model managed object format file.

20 10. The information handling system as described in claim 8 further comprising:  
retrieval logic for locating a qualifier corresponding to the retrieved name;  
input logic for reading a qualifier value corresponding  
25 to the qualifier; and  
output logic for replacing the retrieved name with the qualifier value prior to displaying the retrieved name.

11. The information handling system as described in claim 8 further comprising:  
retrieval logic for searching a translation file for a translated string that corresponds to the retrieved name; and  
output logic for replacing the retrieved name with the translated string prior to displaying the retrieved name.
12. The information handling system as described in claim 8 further comprising:  
input logic for receiving an element request from a calling routine, the element request including the element identifier; and  
response logic for returning the retrieved name to the calling routine.
13. The information handling system as described in claim 8 wherein the retrieval logic for retrieving the instance name further comprises:  
identification logic for identifying a plurality of properties corresponding to the element identifier;  
retrieval logic for retrieving a plurality of values, wherein each of the values corresponds with one of the properties; and  
output logic for writing each of the properties followed by the value corresponding to the property to the retrieved name.

14. The information handling system as described in claim 8 wherein the retrieval logic for retrieving the instance name further comprises:

identification logic for identifying a property

5

corresponding to the element identifier;

retrieval logic for retrieving a property name

corresponding to the property; and

output logic for writing the property name to the retrieved name.

10

15. A computer program product stored on a computer operable medium for generating display names for management definition data elements, said computer program product comprising:

means for receiving an element identifier;

15

means for retrieving a non-instance name from a

management data definition in response to

determining that an element corresponding to the

element identifier is a non-instance element;

means for retrieving an instance name from the management

20

data definition in response to determining that the

element corresponding to the element identifier is

an instance element; and

means for displaying the retrieved name on a display device.

25

16. The computer program product as described in claim 15 wherein the management data definition includes a common information model managed object format file.

17. The computer program product as described in claim 15  
further comprising:  
means for locating a qualifier corresponding to the  
retrieved name;  
5 means for reading a qualifier value corresponding to the  
qualifier; and  
means for replacing the retrieved name with the qualifier  
value prior to the displaying.
18. The computer program product as described in claim 15  
further comprising:  
means for searching a translation file for a translated  
string that corresponds to the retrieved name; and  
means for replacing the retrieved name with the  
translated string prior to the displaying.
- 15 19. The computer program product as described in claim 15  
further comprising:  
means for receiving an element request from a calling  
routine, the element request including the element  
identifier; and  
20 means for returning the retrieved name to the calling  
routine.
20. The computer program product as described in claim 15  
wherein the means for retrieving the instance name  
further comprises:  
25 means for identifying a plurality of properties  
corresponding to the element identifier;

means for retrieving a plurality of values, wherein each  
of the values corresponds with one of the  
properties; and

means for writing each of the properties followed by the  
value corresponding to the property to the retrieved  
name.

21. The computer program product as described in claim 15  
wherein the means for retrieving the instance name  
further comprises:

means for identifying a property corresponding to the  
element identifier;

means for retrieving a property name corresponding to the  
property; and

means for writing the property name to the retrieved  
name.

22. A method of generating display names for management  
definition data elements, said method comprising:  
receiving an element identifier;

retrieving a non-instance name from a management data

definition in response to determining that an

element corresponding to the element identifier is a  
non-instance element, wherein the management data

definition includes a common information model

managed object format file;

retrieving an instance name from a management data

definition in response to determining that an

element corresponding to the element identifier is

an instance element;

locating a qualifier corresponding to the retrieved name;  
reading a qualifier value corresponding to the qualifier;  
replacing the retrieved name with the qualifier value;  
and

5 displaying the retrieved name on a display device.

23. A method of generating display names for management  
definition data elements, said method comprising:  
receiving an element identifier;  
retrieving an instance name from a management data  
10 definition in response to determining that an  
element corresponding to the element identifier is  
an instance element, the retrieving an instance name  
further including:  
identifying a plurality of properties corresponding  
15 to the element identifier;  
retrieving a plurality of values, wherein each of  
the values corresponds with one of the  
properties; and  
writing each of the properties followed by the value  
20 corresponding to the property to the retrieved  
name; and  
displaying the retrieved name on a display device.

24. An information handling system comprising:  
one or more processors;  
25 a memory accessible by the processors;  
a nonvolatile storage area accessible by the processors;  
and



a display name tool for generating display names from a management definition file stored on the nonvolatile storage device, the display name tool including:  
input logic for receiving an element identifier;  
5 retrieval logic for retrieving a non-instance name from a management data definition in response to determining that an element corresponding to the element identifier is a non-instance element, wherein the management data definition includes a common information model managed  
10 object format file;  
retrieval logic for retrieving an instance name from the management data definition in response to determining that an element corresponding to  
15 the element identifier is an instance element;  
display logic for displaying the retrieved name on a display device;  
retrieval logic for searching a translation file for a translated string that corresponds to the  
20 retrieved name; and  
output logic for replacing the retrieved name with the translated string prior to displaying the retrieved name.

25. A computer program product stored on a computer operable  
25 medium for generating display names for management definition data elements, said computer program product comprising:  
means for receiving an element identifier;

means for retrieving a non-instance name from a  
management data definition in response to  
determining that an element corresponding to the  
element identifier is a non-instance element,  
5 wherein the management data definition includes a  
common information model managed object format file;  
means for retrieving an instance name from the management  
data definition in response to determining that the  
element corresponding to the element identifier is  
10 an instance element;  
means for displaying the retrieved name on a display  
device;  
means for locating a qualifier corresponding to the  
retrieved name;  
15 means for reading a qualifier value corresponding to the  
qualifier; and  
means for replacing the retrieved name with the qualifier  
value prior to the displaying.